

# C2G USB-C<sup>®</sup> DOCKING STATION CORE SOLUTIONS

## Quick Reference Guide



## USB-C<sup>®</sup> DOCKING STATIONS

USB-C Docking Stations offer many features that contribute to increased productivity in the office or when working from home. Connect to multiple displays, multiple peripherals, transmit data, and provide power delivery all through a single USB-C port of a computer.



### Triple 4K Display Docking Station

Part #	Input Connector	Audio/Video Configurations	Max Resolution	Refresh Rate	Data Ports	Protocol	Max Transmit Speed	Audio Jack	Power Delivery	Included Power Adapter	
C2G54535 TAA Compliant	USB-C Male	3x HDMI Female	3 Displays 4K (3840 x 2160)	30Hz	4x USB-A Female	USB 3.0		3.5mm Headphone	85W	135W	
		1x HDMI Female & 2x DisplayPort Female			1x Front USB-A Female	BC 1.2 Enhanced Mobile Charging	USB 3.0				5 Gbps
		2x HDMI Female	2 Displays 4K (4096 x 2160)	60Hz	USB-C Female	USB 3.1 Gen 2		10 Gbps	3.5mm Microphone	85W	135W
		2x DisplayPort Female			USB-C Female	Power Delivery Only					
		1x HDMI Female	1 Display 4K (4096 x 2160)	USB-C Female	Power Delivery Only		1000 Mbps				
		1x DisplayPort Female	1 Display 5K (5120 x 2880)	RJ45 Female	Gigabit Ethernet	1000 Mbps					
C2G54538	USB-C Female	3x HDMI Female	3 Displays 4K (3840 x 2160)	30Hz	2x Rear USB-A Female	USB 3.0		3.5mm Combo	100W	130W	
		1x HDMI Female & 2x DisplayPort Female			1x Front USB-A Female	BC 1.2 Enhanced Mobile Charging	USB 3.2 Gen 2				10 Gbps
		2x HDMI Female	2 Displays 4K (3840 x 2160)	60Hz	1x Left Side of Dock USB-C Female	Power Delivery Only		10 Gbps	3.5mm Combo	100W	130W
		2x DisplayPort Female			1x Front USB-C Female	BC 1.2 Enhanced Mobile Charging	USB 3.2 Gen 2				
		1x HDMI Female	1 Display 4K (3840 x 2160)	1x Front USB-C Female	USB 3.2 Gen 1		5 Gbps				
		1x DisplayPort Female	1 Display 4K (3840 x 2160)	1x Front USB-C Female	Gigabit Ethernet	1000 Mbps					

Cable solutions for USB-C Docks are available at [legrandav.com/products/c2g](https://www.legrandav.com/products/c2g)

#### SIMPLIFIED CONNECTIVITY

USA 800.506.9607 | [c2g.com](https://www.c2g.com) | [legrandav.com](https://www.legrandav.com) | [customer-service@c2g.com](mailto:customer-service@c2g.com)

EMEA +31 495 580 840 | [c2g.com/uk](https://www.c2g.com/uk) | [legrandav.com](https://www.legrandav.com) | [c2g.emea@av.legrand.com](mailto:c2g.emea@av.legrand.com)

#### LEGRAND | AV COMMERCIAL BRANDS

C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold

# C2G USB-C® DOCKING STATION CORE SOLUTIONS

## Quick Reference Guide



TAA C2G54536



TAA C2G54537

### Dual 4K Display Docking Stations

Part #	Input Connector	Audio/Video Configurations	Max Resolution	Refresh Rate	Data Ports	Protocol	Max Transmit Speed	Audio Jack	Power Delivery	Included Power Adapter
C2G54536 TAA Compliant	Thunderbolt 3 USB-C Male	1x DisplayPort Female & 1x Thunderbolt 3 Female	2 Displays 4K (3840 x 2160)	60Hz	Thunderbolt 3 USB-C Female	Thunderbolt 3	40 Gbps	3.5mm Combo	85W	180W
					2x USB-C Female	USB 3.2 Gen 2	10 Gbps			
		3x USB-A Female	USB 3.0		5 Gbps					
		1x Front USB-A Female	BC 1.2 Enhanced Mobile Charging	USB 3.0						
1x Thunderbolt 3 Female	1 Display 4K (4096 x 2160)	30Hz	RJ45 Female	Gigabit Ethernet	1000 Mbps					
			SD Card Reader	4.0	104 Mbps					
C2G54537 TAA Compliant	Thunderbolt 4 USB-C Male	4x Thunderbolt 4 Female	2 Displays 4K (3840 x 2160)	60Hz	Thunderbolt 4 USB-C Female	Thunderbolt 4	40 Gbps	3.5mm Combo	90W	135W
					3x USB-A Female	USB 3.1	10 Gbps			
		1x Front USB-A Female	BC 1.2 Enhanced Mobile Charging		USB 2.0	480 Mbps				
		1 Display 8K (7680 x 4320)	30Hz	RJ45 Female	Gigabit Ethernet	1000 Mbps				
SD Card Reader	4.0			104 Mbps						

Cable solutions for USB-C Docks are available at [legrandav.com/products/c2g](https://legrandav.com/products/c2g)

#### SIMPLIFIED CONNECTIVITY

USA 800.506.9607 | [c2g.com](https://c2g.com) | [legrandav.com](https://legrandav.com) | [customer-service@c2g.com](mailto:customer-service@c2g.com)

EMEA +31 495 580 840 | [c2g.com/uk](https://c2g.com/uk) | [legrandav.com](https://legrandav.com) | [c2g.emea@avlegrand.com](mailto:c2g.emea@avlegrand.com)

#### LEGRAND | AV COMMERCIAL BRANDS

C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold



TAA C2G54487  
C2G54488



54439

### Dual Display Docking Stations

Part #	Input Connector	Audio/Video Configurations	Max Resolution	Refresh Rate	Data Ports	Bandwidth	Max Transmit Speed	Audio Jack	Power Delivery	Included Power Adapter
54439	USB-C Male	1x DisplayPort Female & 1x Thunderbolt 3 Female	2 Displays 4K (3840 x 2160)	60Hz	2x USB-A Female	USB 3.0	5 Gbps	No	100W	60W
		1x HDMI Female	1 Display 4K (4096 x 2160)	30Hz	USB-C Female	USB 3.1 Gen 2	10 Gbps			
		1x DisplayPort Female	1 Display 4K (3840 x 2160)							
		1x VGA Female	1 Display 1920 x 1080	60Hz	USB-C Female	Power Delivery Only				
C2G54487 TAA Compliant	USB-C Male	2x HDMI Female	2 Displays 1080p (1920 x 1080)	60Hz	5x USB-A Female	3x USB 3.0 2x USB 2.0	5 Gbps 480 Mbps	3.5mm combo	60W	60W
		1x HDMI Female	1 Display 4K (4096 x 2160)	30Hz	USB-C Female	Power Delivery Only				
					RJ45 Female	Gigabit Ethernet	1000 Mbps			
C2G54488 TAA Compliant	USB-C Male	2x HDMI Female	2 Displays 1080p (1920 x 1080)	60Hz	5x USB-A Female	3x USB 3.0 2x USB 2.0	5 Gbps 480 Mbps	3.5mm combo	60W	No
		1x HDMI Female	1 Display 4K (4096 x 2160)	30Hz	USB-C Female	Power Delivery Only				
							RJ45 Female			

Cable solutions for USB-C Docks are available at [legrandav.com/products/c2g](http://legrandav.com/products/c2g)

#### SIMPLIFIED CONNECTIVITY

USA 800.506.9607 | [c2g.com](http://c2g.com) | [legrandav.com](http://legrandav.com) | [customer-service@c2g.com](mailto:customer-service@c2g.com)

EMEA +31 495 580 840 | [c2g.com/uk](http://c2g.com/uk) | [legrandav.com](http://legrandav.com) | [c2g.emea@avlegrand.com](mailto:c2g.emea@avlegrand.com)

#### LEGRAND | AV COMMERCIAL BRANDS

C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold

### USB-C® MINI DOCKS

USB-C Mini Docks allow for essential connectivity in the office or when working from home. Connect to a display, multiple peripherals, and transmit data all through a single USB-C port of a computer.



### Single Display Docking Stations

Part #	Input Connector	Audio/Video Output	Max Resolution	Refresh Rate	Data Ports	Bandwidth	Max Transmit Speed	Power Delivery
28845	USB-C Male	HDMI Female	4K (4096 x 2160)	30Hz	2x USB-A Female	USB 3.0	5 Gbps	60W
					2x USB-C Female	USB 3.1 Gen 1	5 Gbps	
					RJ45 Female	Gigabit Ethernet	1000 Mbps	
C2G54453	USB-C Male	HDMI Female	4K (3840 x 2160)	30Hz	USB-A Female	USB 3.0	5 Gbps	60W
					USB-C Female	USB 3.1 Gen 1		
C2G54456	USB-C Male	HDMI Female	4K (3840 x 2160)	30Hz	USB-A Female	USB 3.0	5 Gbps	100W
					USB-C Female			
					RJ45 Female	Gigabit Ethernet	1000 Mbps	
C2G54458	USB-C Male	HDMI Female	4K (4096 x 2160)	30Hz	USB-A Female	USB 3.0	5 Gbps	100W
					USB-C Female			
					RJ45 Female	Gigabit Ethernet	1000 Mbps	
					SD Card Reader	3.0	104 Mbps	
C2G54460	USB-C Male	HDMI Female	4K (4096 x 2160)	30Hz	USB-A Female	USB 3.0	5 Gbps	100W
					USB-C Female	USB 3.1 Gen 1		

Cable solutions for USB-C Docks are available at [legrandav.com/products/c2g](http://legrandav.com/products/c2g)

#### SIMPLIFIED CONNECTIVITY

USA 800.506.9607 | [c2g.com](http://c2g.com) | [legrandav.com](http://legrandav.com) | [customer-service@c2g.com](mailto:customer-service@c2g.com)

EMEA +31 495 580 840 | [c2g.com/uk](http://c2g.com/uk) | [legrandav.com](http://legrandav.com) | [c2g.emea@avlegrand.com](mailto:c2g.emea@avlegrand.com)

©2023 Legrand AV Inc. 220789 Rev C 2/23 C2G is a registered trademark of Legrand AV Inc. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.

#### LEGRAND | AV COMMERCIAL BRANDS

C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold



## USB-C® COMPACT DOCKS

USB-C Compact Docks allow for essential connectivity in the office or when working from home. Connect to a display, multiple peripherals, and transmit data all through a single USB-C port of a mobile computer or tablet.



26915



26916



C2G54455



C2G54457

## Single Display Docking Stations

Part #	Input Connector	Audio/Video Output	Max Resolution	Refresh Rate	Data Ports	Bandwidth	Max Transmit Speed	Power Delivery
26915	USB-C Male	HDMI Female	4K (4096 x 2160)	30Hz	USB-A Female	USB 3.0	5 Gbps	100W
26916	USB-C Male	HDMI Female	4K (3840 x 2160)	30Hz	2x USB-A Female	USB 3.0	5Gbps	100W
		VGA Female	1920 x 1200	60Hz	2x USB-C Female	USB 3.1 Gen 1	1000 Mbps	
					RJ45 Female	Gigabit Ethernet	104 Mbps	
C2G54455	USB-C Male	HDMI Female	4K (3840 x 2160)	30Hz	USB-A Female	USB 3.0	5 Gbps	100W
					USB-C Female	USB 3.1 Gen 1		
					RJ45 Female	Gigabit Ethernet		
C2G54457	USB-C Male	HDMI Female	4K (3840 x 2160)	30Hz	2x USB-A Female	USB 3.0	5 Gbps	100W
					USB-C Female	USB 3.1 Gen 1		
					RJ45 Female	Gigabit Ethernet		

Cable solutions for USB-C Docks are available at [legrandav.com/products/c2g](http://legrandav.com/products/c2g)

### SIMPLIFIED CONNECTIVITY

USA 800.506.9607 | [c2g.com](http://c2g.com) | [legrandav.com](http://legrandav.com) | [customer-service@c2g.com](mailto:customer-service@c2g.com)

EMEA +31 495 580 840 | [c2g.com/uk](http://c2g.com/uk) | [legrandav.com](http://legrandav.com) | [c2g.emea@avlegrand.com](mailto:c2g.emea@avlegrand.com)

©2023 Legrand AV Inc. 220789 Rev C 2/23 C2G is a registered trademark of Legrand AV Inc. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.

### LEGRAND | AV COMMERCIAL BRANDS

C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold