

Yealink's Core Offerings for Microsoft Teams

Yealink offers a full portfolio audio and video devices solution for Microsoft Teams that allows different professionals to work the way they love in meeting rooms, in-the-office, and on-the-go, as well as working remotely. The Teams-tailored experience helps the joint customers realize the vision of Intelligent Communication backed by a top tier one-stop UC endpoint solution provider.



One-stop Teams voice and video solutions to reduce the costs of procurement & support/services



True Teams 'best of breed' with consistent Teams experience to drive user adoption

Easy Deployment & Remote Management

Tenant admins can manage the devices via Yealink Device Management Platform



Global Coverage & Support Services

Professional support and post-sales services for worldwide customers



Certified for Microsoft Teams

Yealink Video Device Solutions for Microsoft Teams

Full Portfolio Video Devices for Microsoft Teams



Yealink offers a full portfolio video devices solution for Microsoft Teams, covering from huddle to extra-large meeting spaces, including Microsoft Teams Rooms (MTR) on Android, Microsoft Teams Rooms on Windows, and video phone. To meet different requirements of customers, Yealink not only provides the MeetingBar A20 and A30 for small and medium spaces, but also provides the MVC940 and MVC960 room system that can meet the needs of extra-large rooms covering up to 30 users.

With Yealink video solution, users can enjoy the premium video and audio experience, easy deployment and remote management via Yealink Device Management Platform, all of these bring the consistent and seamless Teams experience to every space.


Microsoft Teams Rooms on Android



MeetingBar A20 for huddle and small rooms



- 0 120° field of view, 20MP, Al-powered camera
- ()) HD full-duplex audio experience





MeetingBar A30 for medium rooms



- Dual-camera system for large views
- ()) HD full-duplex audio and great pickup range
- Plug-and-play setup and easy management

Microsoft Teams Video Phone



VP59 Teams Video Phone for executive desk and huddle rooms



Start Teams meeting easily with standalone Teams video phone



Compatible with superb audio & video devices



Quick setup within 4 steps of cable connection

Specifications

MeetingBar A20 Teams Edition

A20 -Teams Package

- · MeetingBar A20
- · 3m Ethernet cable
- · 1.8m HDMI cable *2 · Mounting Bracket
- and Accessories
- · Power adapter
- · Quick Start Guide

Camera

- · 20MP Camera
- · 120° field of view
- · 8x e-PTZ camera · Electric privacy
- shutter · Al Feature
- Auto Framina
- Speaker Tracking

- Audio
- · Built-in 8 MEMS microphone array
 - · Support extention mic · Built-in 5W high fidelity
 - speaker · Yealink Noise Proof
- Technology
- · Beamforming directed voice pickup technology
- · Full-deplex
- · Echo cancellation

- **Meeting Features**
- · Calendar
- · One-click join
- · Proximity join
- · PSTN dial-in
- Content sharing
- Whiteboard
- · Meeting control:
- Add participates
- Hold/Resume
- Camera On/Off
- · Meeting collaboration Mute/Unmute
 - Volume Up/Down
 - Hang up

- MeetingBar A30 Teams Edition
- A30 -Teams Package
- · MeetingBar A30
- · 3m Ethernet cable
- · 2 x 1.8m HDMI cable
- · Mounting Bracket
- and Accessories
- · Power adapter
- · Quick Start Guide
- · Controller (optional):
- CTP18 Touch Panel
- VCR20 Remote Control
- · Content sharing (optional):
- VCH51 Sharing Kit (HDMI/USB-C)
- WPP20 Wireless Presentation Pod

Dual Camera System

Wide Camera: · 8MP Camera

- · Field of view: 120°
- · 4x e-PTZ Camera
- Telephoto Camera:
- · 8MP Camera
- Field of view: 90°
- · 10x Hybrid Zoom
- (3.5x optical, 3x digital)
- · Horizontal Rotation
- Angle: +25°/-25° · Vertically Rotation
- Angle: +16°/-16°
- · Electric Privacy Shutter
- · Intelligence Features
- Auto Framing
- Speaker Tracking

Audio

- · Built-in 8 MEMS
- microphone array
- · Support extention mic
- · Two Built-in 5W high fidelity speaker
- · Yealink Noise Proof
- Technology
- · Beamforming directed voice pickup technology
- · Full-duplex
- · Echo cancellation

Meeting Features

- · Calendar
- · One-click join
- · Meeting collaboration
- Content sharing - Whiteboard
- · Meeting control
- Add participates
- Hold/Resume
- Camera On/Off
- Mute/Unmute
- Volume Up/Down
- Hang up

· 2 mega-pixel HD camera with

· Built-in dual band 2.4G/5G Wi-Fi

· Dual-port Gigabit Ethernet, PoE

privacyshutter

· USB 2.0 port

support

· Built-in Bluetooth 4.2

- Microsoft DM
- Proximity join

VP59 Teams Edition

- · 8 inch (1280 x 800) capacitive adjustable touch screen
- · Optimal HD audio, support Yealink Noise Proof technology
- · HDMI for connection to monitor or TV Based on Android 9.0

For any queries, please contact us via UCinfo@yealink.com

- · Full-duplex hands-free speakerphone with AEC
- · Microsoft Teams-tailored user interface

Unify Square device

management platform

· Support Microsoft/Yealink/

Microsoft Teams Rooms System on Windows

Complete Bundle Solution

The Yealink MVC II series is a bundle video solution for Microsoft Teams Rooms (MTR) that includes everything you need to interact, connect, and collaborate with internal and external users seamlessly and intelligently, covering every scenario from small to extra-large spaces.



Consistent Teams Experience · Easy to Use

· One-touch to join



Wireless Content Sharing · One tap to share content wirelessly with WPP20



Simplified Cabling System · Shorten deployment time · For all MVC II room systems

Tailored Voice and Video Experience for Diverse Meeting Rooms



MVC320 for focus and small rooms (2-6 users)



UVC30 4K camera, 120°FoV, Auto Framing

 $[\infty]$ **MSpeech** HD voice, full-duplex, 10ft/6 meter pickup range





MVC400 for huddle and small rooms (2-7 users)

30

UVC40 All-in-One USB Video Bar Al features: Auto Framing & Speaker Tracking 20MP, 133° FoV



noise proof, full-duplex, built-in 8 MEMS microphone





MVC640 for medium rooms (7-11 users)

 \square UVC84 4K camera, 12x optical zoom, Auto Framing



MSpeech HD voice, full-duplex, 10ft/6 meter pickup range





MVC640-Wireless-CPW90 for medium rooms (7-11 users) UVC84 4K camera, 12x optical zoom, Auto Framing

CPW90

360° 10 feet voice pickup range,flexibility in placement without any wiring troubles.





MVC840 for medium and large rooms (12-18 users)

UVC84 4K camera, 12x optical zoom, Auto Framing

VCM34 360° 20 feet voice pickup range, cascade connection for up to 6 units





MVC940 for extra-large rooms (>18 users)

4K camera, 12x optical zoom, multi-camera solution with AVHub (up to 9 cameras)

 ${\rm s}$

Flexible Audio Options work with Yealink VCM34 microphone, VCM38 ceiling microphone with MSpeaker II





MVC660 for medium rooms (7-11 users)

Dual-eye 4K intelligent tracking camera, 12x optical zoom, Auto Framing, Speaker Tracking and Presenter Tracking



MSpeech HD voice, full-duplex, 10ft/6 meter pickup range





MVC860 for medium and large rooms (12-18 users)

UVC86

Dual-eye 4K intelligent tracking camera, 12x optical zoom, Auto Framing, Speaker Tracking and Presenter Tracking

Flexible Audio Options

work with Yealink VCM34 microphone, VCM38 ceiling microphone and the CPW90 wireless microphone with MSpeaker II





MVC960 for extra-large rooms (>18 users)

30 UVC86

Dual-eye 4K intelligent tracking camer-a,12x optical zoom, Auto Framing, SpeakerTracking and Presenter Tracking, multi-camera Solution with AVHub(up to 9 cameras)



Flexible Audio Options work with Yealink VCM34 microphone, VCM38 ceiling microphone with MSpeaker II



Module			MVC960	MVC940	MVC860	MVC840			
	Target Rooi	m Size	Extra large rooms	Extra large rooms	Large rooms	Large rooms			
	Mini-PC		Yealink Mcore						
Components	Touch Cons	sole & Sharing Device	Yealink MTouch II						
	USB Camer	а	AVHub 2x Yealink UVC86 Dual-Eye Intelligent Camera	AVHub 2x Yealink UVC84 4k 12X optical PTZ camera	Yealink UVC86 Dual-Eye Intelligent Camera	Yealink UVC84 4K 12X optical PTZ camera			
	Audio		Flexible options	Flexible options	VCM34 array mic/CPW90 wireless mic/VCM38 ceiling mic + Yealink soundbar	2x VCM34 array mics + Yealin soundbar 3x VCM34 array mic + 2x Yealink soundbar			
	Wireless Pre	esentation	2x WPP20	2x WPP20	WPP20 (Optional)	Optional			
	MVC-BYOD	-Extender	\checkmark	Optional	Optional	Optional			
	CPU		Intel QUAD-CORE i5-8265U						
	Memory		8GB (2*4GB)						
	Storage		128GB SSD						
	Video Outp	ut		2x HDMI, CE	C supported				
MCore	USB			4x U	SB3.0				
	Wi-Fi			-	\checkmark				
	Bluetooth			-	\checkmark				
	Yealink VCH	Port		-	\checkmark				
	Cable Mana	agement			/				
	Screen Size			8 inches I	PS screen				
	Screen Res				x 800				
	Bracket			Adjustable	≥ 28° ~ 50°				
	Human Mot	ion Sensor		,					
	3.5mm Audi			-	\checkmark				
MTouch II	USB-A Port				SB audio device if necessary				
	Content Sharing Resolution / Frame Rate				/ 30FPS				
	Video Input interface for Content Sharing				USB-C				
		Fi AP for Content Sharing			/				
		ontent Sharing			wireless presentation pod				
	UVC Protoc	0	UVC 1.0	UVC 1.0	UVC 1.0	UVC 1.0			
	Zoom		12X optical	12X optical	20XHD zoom (12X optical, 1.7X digital)				
	Resolution / Frame Rate		4K / 30FPS	4K / 30FPS	4K / 30FPS	4K / 30FPS			
	Field of Viev		90°	80°	90°	80°			
	Pan/Tilt ran		200°/130°	200°/130°	200°/130°	200°/130°			
Camera	Auto Framing		√	√	√	√			
Features	Speaker Tracking		v √	×	v √	×			
reatures	Presenter Tracking		v √	×	v √	×			
	Presenter tracking		1x VCH port (RJ45) for mic	1x VCH port (RJ45) for mic	1x Yealink VCH port (RJ45) +	1x VCH port (RJ45) for mic an			
	Audio Ports		and speaker 1x Line-in port for audio reference	and speaker 1x Line-out port	1x Line-in port	speaker 1x Line-out port			
	Power Adapter		AC 100~240V Input and DC 48V/0.7A Output	AC 100~240V Input and DC 48V/0.7A Output	AC 100~240V Input and DC 48V/0.7A Output	AC 100~240V Input and DC 48V/0.7A Output			
	Camera Layout		Support camera layout including full screen, surrond, division	Support camera layout including full screen, surrond, division					
	Maximum number of cameras		Up to 9	Up to 9	NA	NA			
AVHub	Audio Ports		7x VCH port (RJ45) for mic, speaker or camera 1x RCA-in port, 1x RCA-out port 1x 6.3mm Line-in Port, 1x 6.3mm Line-out port	7x VCH port (RJ45) for mic, speaker or camera 1x RCA-in port, 1x RCA-out port 1x 6.3mm Line-in Port, 1x 6.3mm Line-out port		INA			
		Frequent Response	100 Hz - 20K Hz	100 Hz - 20K Hz	100 Hz - 20K Hz	100 Hz - 20K Hz			
	Speaker	RMS	10W	10W	10W	10W			
	Speaker	THD	1.00%	1.00%	1.00%	1.00%			
		Maximum Speakers	Up to 4	Up to 4	Up to 4	Up to 4			
Audio	Microphone		Support VCM34 tabletop or VCM38 ceiling mics	Support VCM34 tabletop or VCM38 ceiling mics	2~6 VCM34 array mics	2~3 VCM34 array mics			
Features			Built-in 3-mic array for VCM34 Built-in 8-mic array for VCM38	Built-in 3-mic array for VCM34 Built-in 8-mic array for VCM38	2~8 VCM38 ceiling mics	Built-in 3-mic array			
	•		360° voice pickup	360° voice pickup	2~4 CPW90 wireless mics	20ft(6-meter) voice pickup ran			
			Cascade connection up to 6 units for VCM34 Cascade connection up to 8 units for VCM38	Cascade connection up to 6 units for VCM34 Cascade connection up to 8 units for VCM38	NA	Cascade connection up to 6 unit			
	3rd Party DSP System Compatibility		Compatible with 3rd party DSP System including Shure, Biamp, etc	Compatible with 3rd party DSP System including Shure, Biamp, etc	Compatible with 3rd party DSP System including Shure, Biamp, etc	Compatible with 3rd party DS System including Shure, Biamp, et			
	Operating System		Windows 10 IoT Enterprise OS & License						
Preload		eams Rooms App	\checkmark						
	Yealink Roo								
		agement Agent							
_ ·	Windows U	•							
Device		ice Management loud Service	\checkmark						
	Microsoft SCCM								
Management	Microsoft S	CCM			V				

Module	dule		MVC660	MVC640- Wireless-CPW90	MVC640	MVC400	MVC320		
	Target Room Siz	ze	Medium rooms	Medium rooms	Medium rooms	Small rooms	Focus rooms		
	Mini-PC				Yealink MCore				
Components	Touch Console	& Sharing Device			Yealink MTouch II				
	USB Camera		Yealink UVC86 Dual-Eye Intelligent Camera	Yealink UVC84 4K 12X optical PTZ camera	Yealink UVC84 4K 12X optical PTZ camera	Yealink UVC40 all-in-one USB video bar	Yealink UVC30 Room 4K camera		
	Audio		Yealink MSpeech tabletop speakerphone	2x CPW90 wireless mics + Yealink soundbar	Yealink MSpeech tabletop speakerphone		Yealink MSpeech tableto speakerphone		
	Wireless Preser	ntation	WPP20 (Optional)	WPP20 (Optional)	Optional	Optional	Optional		
	MVC-BYOD-Ext		NA	Optional	NA	Optional	NA		
	CPU		Intel QUAD-CORE i5-8265U						
	Memory		8GB (2*4GB)						
	Storage		128GB (2 ⁻⁴ GB)						
	Video Output		2x HDMI, CEC supported						
MCore	USB				4x USB3.0				
	Wi-Fi				\checkmark				
	Bluetooth								
	Yealink VCH Port		v √						
	Cable Management								
	Screen Size		8 inches IPS screen						
	Screen Resolution		1280 × 800						
	Bracket		Adjustable 28° ~ 50°						
	Human Motion S	Sensor							
MTouch II	3.5mm Audio Po	ort	\checkmark						
	USB-A Port		1x USB-A Port, connect to USB audio device if necessary						
	Content Sharing Resolution / Frame Rate		1080P / 30FPS						
	Video Input interface for Content Sharing								
		for Content Sharing	√						
	Wireless Conte	nt Sharing			ealink WPP20 wireless prese				
	UVC Protocol		UVC 1.0	UVC 1.0	UVC 1.0	UVC 1.0	UVC 1.0		
	Zoom		20X HD zoom (12X optical, 1.7 digital)	36X HD zoom (12X optical, 3X digital)	12X optical	8X digital	3X digital		
	Resolution / Fra	mo Dato	4K / 30FPS	4K / 30FPS	4K / 30FPS	4K / 30FPS	4K / 30FPS		
	Field of View(dia		90°	80°	80°	133°	120°		
	Pan/Tilt range	gonaly	200°/130°	200°/130°	200°/130°	E-PTZ	E-PTZ		
Camera	Auto Framing			√	√				
Features	Speaker Trackir	ηα		×	×	· · · · · · · · · · · · · · · · · · ·	×		
	Presenter Track	5		×	×	×	×		
		5	1x Yealink VCH port	1x Yealink VCH port	1x VCH port (RJ45) for mic	1x VCH port (RJ45) for mic	NA		
	Audio Ports		(RJ45) + 1x Line-in port AC 100~240V Input and	(RJ45) + 1x Line-out port AC 100~240V Input and	and speaker 1x Line-out port AC 100~240V Input and	1x Line-in port AC 100~240V Input and			
	Power Adapter		DC 48V/0.7A Output	DC 48V/0.7A Output	DC 48V/0.7A Output	DC 48V/0.7A Output	NA		
AVHub	Camera Layout		NA	NA	NA	NA	NA		
AVHUD	Maximum number of cameras Audio Ports		NA	NA	INA	NA	INA		
	Speaker	Frequent Response	100 Hz - 20K Hz	100 Hz - 20K Hz	100 Hz - 20K Hz	100 Hz - 20K Hz	115 Hz -16 KHz		
		RMS	3W	10W	10W	3W	4W		
		THD	1.00%	1.00%	1.00%	1.00%	1.00%		
		Maximum Speakers	NA	Up to 4	NA	NA	NA		
			1x MSpeech Speakerphone Built-in 10-mic array	2x CPW90 wireless mic DECT technology, up to 50	1x MSpeech Speakerphone Built-in 3-mic array	Built-in microphone 8 MEMS mic array	1x MSpeech Speakerpho Built-in 10-mic array		
Audio Features	Microphone		20ft (6-meter) voice pickup range	meters distance 10ft(3-meter) voice pickup range of every	20ft (6-meter) voice pickup range	Beamforming	20ft (6-meter) voice pickup range		
			NA	microphone unit Supports up to 4 wireless					
			Compatible with 3rd	microphone units Compatible with 3rd	NA Compatible with 3rd	NA	NA		
	3rd Party DSP System Compatibility		party DSP System including party DSP System including party DSP System including Shure, Biamp, etc Shure, Biamp, etc Shure, Biamp, etc						
	Operating System		Windows 10 IoT Enterprise OS & License						
Preload	Microsoft Teams Rooms App		\sim						
	Yealink RoomConnect Device Management Agent		\checkmark						
	Windows Updat	-							
Device	Yealink Device N	/anagement	v √						
Management	Distforms (Olay vel Campian								
Management	Microsoft SCCN				\checkmark				

Certified for Microsoft Teams

Yealink Collaboration Display Solutions for Microsoft Teams



Collaborative, Innovative, Effective

Microsoft Teams Rooms on Android

MeetingBoard

An innovative collaboration display for creative teamwork

- $\cdot\,$ All-in-one design that fits all meeting rooms
- · Smart collaboration whiteboard
- · Premium and intelligent video experience
- · Premium full-duplex audio experience





DeskVision A24

A desktop collaboration display for your instant workspace

- PC monitor mode & video conference terminal mode
- · High quality microphone and speakers
- \cdot Full-HD video call
- $\cdot\,$ Wireless charger for mobile phone





MeetingBoard Specifications



OS	OS	Android 10		
Chipset	SoC	QUALCOMM SNAPDRAGON 845		
	Size	65/85 inch		
	Backlight type	D-LED		
Display	Resolution	3840 x 2160		
	Ratio	16:9		
	Anti-Fingerprint	\checkmark		
	Anti-Glare			
	Resolution	3840*2160		
	Lens	8MP		
Built-in Camera	Field of view	120° diagonal field of view		
	Zoom	e-PTZ		
		4 x digital zoom		
	Privacy shutter	Automatic Hiding Shutter		
	Microphone	Built-in 16 MEMS Mic Array		
	Speaker	4 full range+2 tweeter stereo speakers		
Audio	RCA input/output			
	Acoustic echo cancellation			
	Reverberation suppression			
	Beamforming technology			
	LED lightstrips			
Buttons	Home button			
	Input source button			
	Volume up/down button			
	HDMI	1 × HDMI output		
		1 × HDMI input		
	CEC			
	PTZ camera port			
	VCH	1 × Yealink VCH port (RJ-45)		
	USB	3 × USB Type A		
Connections	Ethernet port	1 x 10/100M/1000M Ethernet port		
	Wi-Fi	Wi-Fi6 2x2 MIMO dual-band		
	Bluetooth	Built-in Bluetooth 5.0		
	Security lock slot	e-PTZ		
	·	4 x digital zoom		
	Windows OPS slot	Automatic Hiding Shutter		
	Reset slot			
	Motion sensor	\checkmark		

DeskVision A24 Specifications

Module



	Dimensions	23.8 inch		
	Resolution	1920 × 1080		
	Refresh Rate	60Hz		
	Color Depth	8 bit		
Screen Specifications	Contrast Ratio	1000:1		
	Viewing angle	Horizontal: 178°		
		Pitch: 178°		
	Multi-touch	10 points		
	Camera FOV	90°		
Camera Specifications	Video Specifications	Up to 1080p30 Video Call		
	Privacy protection	Automatically lifted or manually controlled lift		
	Microphone Type	Built-in microphone array		
Audio Specifications	Intelligent noise cancellation technology			
-	Speaker	Built-in Stereo Speaker		
	Dual Mode	Built-in Android + Monitor Mode		
Application Mode	Android System	supports 2.4G / 5G dual-mode Wi-Fi Support Bluetooth 4.2		
	HDMI in	1		
		1x USB-C 3.0 upstream,DP-IN, provide PD up to 45w		
Application Mode	USB-C	1x USB-C 3.0 downstream interfaces for connecting peripherals,		
		Only supports the use of PCs connected to the USB-C upstream interface		
		2x USB-A 3.0 downstream interfaces for connecting peripherals,		
	USB-A	Only supports the use of PCs connected to the USB-C upstream interface		
Thursdal interface		1x USB-A 2.0 downstream interface, used to connect to headphones		
Physical interface	Power	DC 19V		
	Wireless Charging	Support wireless charging for mobile phone		
	Button	Power、Volume、Mute、Camera on/off、Switch mode、Teams button		



Yealink Voice Device Solutions for Microsoft Teams

12:05 PM

THE FIRST Teams Certified Phone

The first Microsoft Teams certified desk phone in the industry, delivering Microsoft Teams experience to all desktop devices seamlessly.


THE FIRST Teams Certified Phone Series

The first stable and featured Teams certified desk phone series covering entry- to executive-level, supporting firmware upgradability of applications between Teams and SfB.

THE FIRST One-stop Solution Provider

The first provider of one-stop Microsoft Teams certified audio devices, covering scenarios of offices, open work space, huddle rooms and large conference rooms.

A Whole Series of Voice Device Solutions Covering Multiple Scenarios





High-Quality Audio

- Optimal HD audio, Yealink Noise
 Proof Technology
- Full-duplex hands-free speakerphone with AEC



- Embedded native Teams-tailored user interface
- Consistent Teams calling and meeting experience



Simplified Deployment and Management

Deployment flexibility with multiple choices of deployment tools from Microsoft, Yealink and Unify square as well as auto-provision

Desk Phone

Yealink MP50 Microsoft Teams certified plug-and-play USB phone for daily desktop and hot-desking 4 $\stackrel{"}{\bullet}$ $\stackrel{"}{\bullet}$ $\stackrel{"}{\bullet}$ $\stackrel{"}{\bullet}$ $\stackrel{!}{\bullet}$ $\stackrel{!}{$
Yealink MP54 Cost-effective Microsoft Teams phone for common areas and workers of co-working spaces Android 9.00S 4-inch Multi- HD Audio Teams Button Wi-Fi & Bluetooth via optional dongle
Yealink MP56 Mid-level Microsoft Teams phone for office workers Android 2.00S 7-inch Multi- HD Audio Earms Built-in Wi-Fi & 9.00S 7-inch Multi- HD Audio Earms Built-in Wi-Fi & Button Built-in Wi-Fi &
Yealink MP58/MP58-WH Premium Microsoft Teams phone for executives and professionals Android 7-inch Multi- 9.00S 7-inch Multi- touch Screen Audio Euton Button Bluetooth Handset (MP58-WH)

*Some desk phone models are certified by Skype of Business, please contact our sales for details.

Conference Phone



Yealink CP965 Best-in-class conference phone for Microsoft Teams



11

5-inch Multitouch Screen Bluetooth





Features Model	MP58/MP58-WH	MP56	MP54	MP50	CP965
General features					
Operating System	Android 9.0	Android 9.0	Android 9.0	Linux	Android 11
Display	7"1024 x 600-pixel capacitive touch screen	7"800 x 480-pixel capacitive touch screen	4"480 x 800-pixel capacitive touch screen	7"1024 x 600-pixel capacitive touch screen	5" 720x1280 capacitive touch screen
Adjustable Screen		\checkmark	\checkmark		Х
Backlight	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Feature keys	7(hold, transfer, redial, headset, mute, Teams, speaker phone)	4(hold, transfer, redial, headset, mute, Teams, speaker phone)	4(Teams, headset, mute, speaker phone)	4(Teams, headset, mute, speaker phone)	3 (Home Mute Volume)
Volume control keys	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Message Waiting Indicator (MWI)	\sim	\checkmark	\checkmark	\checkmark	Х
Multiple languages		\checkmark	\checkmark		\checkmark
Dedicated Teams Button	\checkmark	\checkmark	\sim	\checkmark	Х
Wall mount	\checkmark	\checkmark	\sim	\checkmark	Х
Audio features					
HD voice	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker	Optimal HD audio Full duplex technology
AEC (Acoustic echo cancellation)	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC
VAD (Voice activity detection)			\checkmark	\checkmark	\checkmark
CNG (Comfort noise generator)	\checkmark		\checkmark		\checkmark
AJB (Adaptive jitter buffer)		\checkmark	\checkmark	\checkmark	\checkmark
PLC (Packet loss concealment)	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
AGC (Automatic gain control)/ NS (Noise Suppression)	\checkmark	\checkmark		\checkmark	\checkmark
Advanced features					
Built-in Bluetooth	4.2+ EDR	4.2+ EDR	x (Supported via Dongle BT41)	4.2+ EDR	4.2+ EDR
Built-in Wi-Fi	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)	x (Supported via Dongle WF50)	х	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)
Teams/SIP Hybrid Mode	\checkmark	\checkmark	\checkmark	Х	\checkmark
Expansion Module support	EXP50	EXP50	Х	Х	Х
Bluetooth Handset support	√(MP58-WH)	Х	Х	Х	Х
Connectivity					
Ethernet Port	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	NA	1 x RJ45 10/100M Ethernet ports
Power over Ethernet (PoE)	(IEEE 802.3af), class 3	(IEEE 802.3af) , class 3	(IEEE 802.3af) , class 3	NA	(IEEE 802.3af), class 3
RJ9 handset port				\checkmark	Х
RJ9 headset port	\checkmark		\checkmark		Х
3.5 mm Jack	Х	Х	Х	2.5 mm Jack for Busylight	Х
USB A Port	2	1	1	3	2
Management					
Auto Provision by TFTP/FTP/HTTP/HTTPS/DHCP		\checkmark	\checkmark	NA	
Yealink Redirection and Provisioning Service (RPS)		\checkmark		NA	

Migration of Yealink Voice Devices from Skype for Business to Teams

 $\sqrt{}$ Yealink Teams devices support the upgradability of firmware from Skype for Business to Teams. $\sqrt{}$ Hybrid-mode feature on Teams devices provides an integrated experience of Teams and SIP App.







Yealink USB Peripheral Solutions for Microsoft Teams

A Whole Series of USB Peripherals Solutions Covering Multiple Scenarios

The Yealink one-stop portfolio makes it easier for customers to select the solutions they need and to collaborate with devices from a single vendor.



USB Peripherals



Speakerphone



CP700

Medium Level Portable Speakerphone Ideal for on-the-go and meetings of up to 4 people

High-quality audio



arning Good for st huddle rooms





CP900

Premium Level Portable Speakerphone Ideal for on-the-go and meetings of up to 6 people

ጮ



High-quality Ease of Portable audio connection design



2000

Camera

Vores	UVC20 Personal Desktop Webcam Immediate brilliant video experience for personal desktop Immediate brilliant video experience Immediate brilliant video experience Immediate brilliant video experience Immediate briliant video experience <tr< th=""><th></th></tr<>	
	UVC30 Desktop 4K USB Camera with Auto-Framing and Windows Hello Support Superb Image Quality Auto- Framing Of View PTZ Control Easier for Management	
-	UVC34 All-in-One USB video bar for small and huddle rooms and work from home scenario $\widetilde{Framing Enhancement}$ $\widetilde{Electric}$ Remote Device 8 Microphone Array & Lens Cap Management Built-in Speaker	
_ ③	UVC40 All-in-One USB video bar for simple and smart video conferencing in small and huddle rooms $\overbrace{\mathcal{Framing}}^{\text{Model}} \qquad \overbrace{\mathcal{Framing}}^{\text{Model}} \qquad \overbrace{\mathcal{Framing}} \qquad \overbrace{\mathcal{Framing}}^{\text{Model}} \qquad \overbrace{\mathcal{Framing}} \qquad \overbrace{\mathcal{Framing} \qquad \overbrace{\mathcal{Framing}}$	



UVC84

4K PTZ Camera for medium and large room with perfect display











UVC86

Dual-eye 4K Intelligent Tracking Camera for Medium and Large Rooms

÷







Audio Dual-Camera Scalability System







YEALINK NETWORK TECHNOLOGY CO., LTD. Email: ucinfo@yealink.com | Web: www.yealink.com

2022-05-MS-English-V1.4