



# ONE-STOP HARDWARE SOLUTION FOR ZOOM

## YEALINK ZOOM SOLUTION ORDERING GUIDE



**Oded Gal**  
Chief Product Officer at Zoom

"While Zoom is flexible and powerful enough for large conference and training rooms, we have seen the prevalence of smaller huddle rooms in recent years, and we know that most of these spaces are woefully unequipped to handle the needs of today's workforce. By working together with Yealink, we can empower more teams with collaboration spaces that are enabled with video, audio, and screen sharing."

### Why Yealink?



**Top 1**  
Global SIP desktop phone vendor for the fourth consecutive year in 2021 (Frost & Sullivan)



**Top 4**  
Global Video Conferencing Devices Vendor (Frost & Sullivan)



**Cost Effectiveness**  
Save 15% averagely than other popular hardware brands



**Stable Supply Chain**  
All in stock. ETA 2-7 working days.



**Full Range Solutions**  
Full range Android and Windows solutions for Zoom Rooms

# VIDEO CONFERENCING SYSTEM

Superior Meeting Experience for Every Zoom Room



## Huddle to Small Rooms | Seats up to 7

### MeetingBar A10



- Portable size 80 mm x 55 mm x 55 mm
- 4K camera, 8 MP, 5x digital zoom
- Electric Privacy Shutter
- 8 MEMS microphone arrays
- Support Auto-Framing/Speaker Tracking/Multi-Focus Framing/ Multi-Stream/ AI Noise cancellation
- Support wireless BYOD Pod WPP30

### MeetingBar A20



- 20 MP Camera/ 8x digital zoom
- Dual-HDMI port
- Support extra wireless Mic
- Support Auto-Framing/ Speaker Tracking/ Multi-Focus Framing/ Multi-Stream/ Audio Fence/ AI Noise cancellation
- Support wireless BYOD dongle WPP30

### ZVC400



- 20 MP Camera/ 8x digital zoom
- Dual-HDMI port
- Support Auto-Framing/ Speaker Tracking/ AI Noise cancellation
- Support BYOD



## Medium Rooms | Seats up to 12

### MeetingBar A30



- 8MP PTZ Camera/ 10x hybrid zoom
- Dual-HDMI port
- Support extra Mic
- Support Auto-Framing/ Speaker Tracking/ Multi-Stream/ Audio Fence/ AI Noise cancellation
- Support wireless BYOD dongle WPP30

### ZVC840



- 4K PTZ Camera/ 12x optical zoom
- Dual-HDMI port
- Support Auto-Framing/ Multi-Stream/ AI Noise cancellation
- Support BYOD
- Easy deployment (Cat5e cable connection, support POE)
- Support Wireless Mic



### Meetingboard 65

- 65 inch all-in-one Collaboration Display,
- Built-in 16 MEMS Mic Array
- 4 full range+2 tweeter stereo speakers
- 4K camera
- Support Auto-Framing/Speaker Tracking/Multi-Focus Framing/ Multi-Stream/ AI Noise cancellation
- Support wireless BYOD Pod WPP30
- Support extra wireless Mic



## Large Rooms | Seats up to 20

### ZVC840

- 4K PTZ Camera/ 12x optical zoom
- Dual-HDMI port
- Support Auto-Framing/ Multi-Stream/ AI Noise cancellation
- Support BYOD
- Easy deployment (Cat5e cable connection, support POE)



### ZVC860

- Dual-eye 4K PTZ Camera/ 12x optical zoom
- Dual-HDMI port
- Support Auto-Framing/ Multi-Stream/ Speaker Tracking/ Presenter tracking/ AI Noise cancellation
- Support BYOD
- Easy deployment (Cat5e cable connection, support POE)



### Meetingboard 86

- 86 inch all-in-one Collaboration Display,
- Built-in 16 MEMS Mic Array
- 4 full range+2 tweeter stereo speakers
- 4K camera
- Support Auto-Framing/ Speaker Tracking/ Multi-Focus Framing/ Multi-Stream/ AI Noise cancellation
- Support wireless BYOD Pod WPP30
- Support extra wireless Mic



## Extra-Large Rooms | Seats up to 40

### ZVC960

- Dual-eye 4K PTZ Camera/ 12x optical zoom
- Up to 9 cameras
- Dual-HDMI port
- Ceiling Mic
- Support BYOD



- Support Auto-Framing/ Multi-Stream/ Speaker Tracking/ Presenter tracking/ AI Noise cancellation
- Easy deployment (Cat5e cable connection, support POE)

# INTELLIGENT ROOM DEVICES

Get Meeting Spaces Fully Controlled



### RoomCast

Native Zoom Rooms Appliance for Digital Signage and Wireless Presentation

[1303118](#)



### RoomPanel

8 inch Android-based Zoom Rooms Scheduling Panel

[1303116](#)

# ACCESSORIES

## Flexible Options Fit Your Needs

### Accessories – Appliance mode



**UVC30 ContentCamKit**  
Room 4K camera with 3m USB cable  
[1306008](#)



**VCM34**  
Wired Microphone  
[1306060](#)



**VCM36-W**  
Wireless Microphone  
[1303143](#)



**VCM38**  
Ceiling Microphone Array  
[1306061](#)



**WPP20**  
Wireless Presentation Pod  
[1303107](#)



**WPP30**  
Wireless Sharing & BYOD Pod  
[1303112](#)



**VCH51 Package**  
Cable Content Sharing &  
BYOD Hub  
[1306030](#)



**TV-Clip Mount**  
TV-Top Mount Kit  
for A20  
[330100057001](#)



**MB-FloorStand-650**  
FloorStand for Meeting-  
Board 65  
[330100055002](#)



**MB-FloorStand-860**  
FloorStand for Meeting-  
Board 86  
[330100056002](#)



**MB-Camera-6X**  
6X Optical PTZ Camera Module  
[1303074](#)

### Accessories – PC mode



**MSpeaker II**  
Video Conferencing Soundbar  
[1306051](#)



**VCM34**  
Wired Microphone  
[1306060](#)



**VCM36-W**  
Wireless Microphone  
[1303143](#)



**VCM38**  
Ceiling Microphone Array  
[1306061](#)



**AVHub**  
Multi-Camera Solution  
[1306011](#)



**RCH40**  
Connection with Multi Cameras/  
Mics/Speakers  
[1303109](#)



**UVC84**  
4K USB PTZ Camera  
[1206610](#)



**UVC86**  
4k Dual-eye Intelligent  
Tracking Camera  
[1206619](#)



**BYOD-Extender**  
BYOD & HDMI Sharing  
[1303113](#)



**WPP20**  
Wireless Presentation Pod  
[1303107](#)



**MTouch II**  
Touch console for  
ZVC Series Room System  
[1306021](#)




**TV-Clip Mount**  
TV-Top Mount Kit  
for UVC40  
[330100057001](#)



**MCore-OPS**  
Windows OPS for  
MeetingBoard series  
[1303084](#)


# SOFTWARE

Enhance Your Experience with Yealink




## Yealink Room Connect

YRC is available for the management of multiple Yealink Room devices, including Microphones, Speakers, and Cameras. All the settings and firmware upgrade can be done through Yealink Room Connect.



## Management Cloud Service - YMCS

Flawlessly manage, monitor, configure, update and diagnose all Yealink audio and video devices peripherals on this platform remotely.



## Room Configurator - Simplified Solution Design

An online tool to configure your meeting space with the right video collaboration devices.

[Get Started](#)








# COMPATIBILITY WITH MAINSTREAM PLATFORMS

Multiple Choices to Have Your Best-in-Class Solutions





# ORDERING THE SOLUTION







## Appliance Mode

Huddle to Small Rooms	<b>A10 with Wireless BYOD Pod</b> A10-025 (1203682)		<b>A10-025</b> (1203682) = A20 + CTP18 (1303152) + WPP30 (1303112)
	<b>MeetingBar A20</b> A20-020 (1206651)		<b>A20-020</b> (1206651) = A20 + CTP18 (1303152) *Wall Mount Included
	<b>A20 with wireless BYOD Pod</b> A20-025 (1206647)		<b>A20-025</b> (1206647) = A20 + CTP18 (1303152) + WPP30 (1303112) *Wall Mount Included
Medium Room	<b>MeetingBar A30</b> A30-020 (1206653)		<b>A30-020</b> (1206653) = A30 + CTP18 (1303152) *Wall Mount Included
	<b>A30 with wireless BYOD Pod</b> A30-025 (1206649)		<b>A30-025</b> (1206649) = A30 + CTP18 (1303152) + WPP30 (1303112) *Wall Mount Included
	<b>Meetingboard 65</b> MB65-A001 (1303066)		*Wall Mount Included
Large Room	<b>Meetingboard 86</b> MB65-A001 (1303067)		*Wall Mount Included

## PC Mode

Huddle to Small Rooms	<b>ZVC400</b> ZVC400-C2-000 (1109924)		<b>ZVC400-C2-000</b> (1109924) = UVC40 (1206607) + MCore Kit-ZR (1306048) *Wall Mount Included
Medium Room	<b>ZVC840 with Wireless Mic</b> ZVC840-C2-000 (1109928) + Mspeaker II (1306051) + VCM36-W Package (1303143)		<b>ZVC840-C2-000</b> (1109928) = UVC84 (1206610) + MCore Kit-ZR (1306048) *Wall Mount Included



Large Room	<b>ZVC840 with Wired Mic</b> ZVC840-C2-310 (1109926) 	<b>ZVC840-C2-310</b> (1109926) =UVC84 (1206610) + MCore Kit-ZR (1306048) + Mspeaker II (1306051) + VCM34 (1306060)*3 *Wall Mount Included *PoE Switch Included
	<b>ZVC840 with Ceiling Mic</b> ZVC840-C2-000 (1109928) + Mspeaker II (1306051) + VCM38 (1306061) + RCH40 (1303109) 	<b>ZVC840-C2-000</b> (1109928) =UVC84 (1206610) + MCore Kit-ZR (1306048) *Wall Mount Included
	<b>ZVC860 with Wired Mic</b> ZVC860-C2-000 (1106952) + MspeakerII (1306051) + VCM34 (1306060) + RCH40 (1303109) 	<b>ZVC860-C2-000</b> (1106952) =UVC86 (1206619) + MCore Kit-ZR (1306048) *Wall Mount Included
	<b>ZVC860 with Ceiling Mic</b> ZVC860-C2-000 (1106952) + MspeakerII (1306051) + VCM38 (1306061) + RCH40 (1303109) 	<b>ZVC860-C2-000</b> (1106952) =UVC86 (1206619) + MCore Kit-ZR (1306048) *Wall Mount Included
Extra-Large Room	<b>ZVC940</b> ZVC840-C2-000 (1109928) +UVC84 (1206610) + MspeakerII (1306051) + VCM38 (1306061) + AV Hub (1306011) 	<b>ZVC840-C2-000</b> (1109928) = UVC84 (1206610) +MCore Kit-ZR (1306048) *Wall Mount Included *Need purchase extra POE Switch with more than 9 ports
	<b>ZVC960</b> ZVC860-C2-000 (1109928) +UVC86 (1206619) + MspeakerII (1306051) + VCM38 (1306061) + AV Hub (1306011) 	<b>ZVC860-C2-000</b> (1106952) =UVC86 (1206619) + MCore Kit-ZR (1306048) *Wall Mount Included *Need purchase extra POE Switch with more than 9 ports

# ZOOM PHONE SOLUTION

## Team Collaboration



CP965

## Executive Office



T58W PRO



MP58 (-WH)



VP59

## On-the-go



W73P



W76P

## Co-working Space



T5W Series



MP56

## Common Area



T3 Series



T4 Series



MP54

## Front Desk



T5W Series



T58W PRO



MP54



MP56



# ORDERING ZOOM PHONE

## Zoom Phone Appliances

MP54-Zoom



### Entry-level Desk Phone

- Android 9.0
- 4 inch (800 x 480) capacitive touch screen
- Optimal HD audio, Yealink Noise Proof Technology
- Magnet handset
- Zoom-tailored user interface
- 1x USB 2.0 port for USB headsets, Bluetooth dongle and Wi-Fi dongle
- Dual-port gigabit Ethernet
- Support Zoom Device Management
- Wall mountable
- IEEE 802.3af PoE support, without PSU

MP56-Zoom



### Mid-level Desk Phone

- Android 9.0
- 7-inch (800 x 480) capacitive touch screen
- Optimal HD audio, Yealink Noise Proof Technology
- Magnet handset
- Zoom-tailored user interface
- Built-in Bluetooth and dual band 2.4G/5G Wi-Fi
- 1x USB Type A port, supports USB headset
- Dual-port gigabit Ethernet
- PoE support, without power adapter
- Support Zoom Device Management
- IEEE 802.3af PoE support, without PSU

MP58-Zoom



### Premium Desk Phone

- Android 9.0
- 7 inch (1024 x 600) adjustable multi-point touch screen
- Optimal HD audio, Yealink Noise Proof Technology
- Magnet handset
- Zoom-tailored user interface
- Built-in Bluetooth 4.2 and Dual Band 2.4G/5G Wi-Fi
- 2x USB Type A port, supports USB headset
- Supports expansion module EXP50
- Dual-port gigabit Ethernet
- Support Zoom Device Management
- Wall mountable
- IEEE 802.3af PoE support, without PSU


MP58-WH  
-Zoom



### Premium Desk Phone with Wireless Bluetooth Handset

- Android 9.0
- 7 inch (1024 x 600) adjustable multi-point touch screen
- Optimal HD audio, Yealink Noise Proof Technology
- Flexible Bluetooth wireless handset
- Zoom-tailored user interface
- Built-in Bluetooth 4.2 and Dual Band 2.4G/5G Wi-Fi
- 2x USB Type A port, supports USB headset
- Supports expansion module EXP50
- Dual-port gigabit Ethernet
- Support Zoom Device Management
- Wall mountable
- IEEE 802.3af PoE support, without PSU

VP59-Zoom



### Premium Desk Video Phone

- Android 9.0
- 8" 1280\*800 pixels adjustable LCD capacitive touch screen
- Optimal HD audio, HAC handset
- USB 2.0 port for USB headset
- Built-in Bluetooth 4.2 and dual band 2.4G/5G Wi-Fi
- HDMI output for connection to monitor or TV
- 2MP HD camera with privacy shutter
- Dual-port Gigabit Ethernet
- IEEE 802.3af PoE support, without PSU

## SIP Phone

T31P/G



### Classical IP Phone

- 2.3" 132x64-pixel graphical LCD with backlight
- Yealink HD Voice
- Up to 2 SIP accounts
- Opus codec support
- Headset support
- Two-port 10/100M Ethernet switch
- Wall mountable
- PoE support, without PSU
- Stand with 2 adjustable angles

T33G



### Classical IP Phone

- 2.4" 320 x 240-pixel color display with backlight
- Yealink HD Voice
- Up to 4 SIP accounts
- Opus codec support
- Headset support
- Dual-port Gigabit Ethernet
- Wall mountable
- PoE support, without PSU
- Stand with 2 adjustable angles

T43U



### Feature-rich SIP Phone

- 3.7" 360x160-pixel graphical LCD with backlight
- Dual USB ports
- Opus codec support
- Up to 12 SIP accounts
- PoE support, without PSU
- USB headset and EHS support
- Wi-Fi via WF40/WF50
- Bluetooth via BT40/BT41
- Supports expansion modules
- Stand with 2 adjustable angles
- Wall mountable

T46U



### Productivity-enhancing SIP Phone

- 4.3" 480 x 272-pixel color display with backlight
- Opus codec support
- Dual USB ports
- Up to 16 SIP accounts
- Dual-port Gigabit Ethernet
- PoE support, without PSU
- USB headset and EHS support, USB recording
- Wi-Fi via WF40/WF50
- Bluetooth via BT40/BT41
- Supports expansion modules
- Stand with two adjustable angles
- Wall mountable

T48U



### Advanced SIP Phone

- 7" 800 x 480-pixel color touch screen with backlight
- Opus codec support
- Dual USB ports
- Up to 16 SIP accounts
- Dual-port Gigabit Ethernet
- PoE support, without PSU
- Bluetooth via BT40/BT41, Wi-Fi via WF40/WF50
- USB recording, Headset, EHS support
- Supports expansion modules
- Stand with two adjustable angles
- Wall mountable

T53W



### Prime Business Phone

- 3.7" 360\*160 pixels graphical LCD with adjustable screen
- Built-in Bluetooth 4.2 and dual band 2.4G/5G Wi-Fi
- Dual-port Gigabit Ethernet
- USB 2.0 port for USB recording, wired/wireless USB headsets and EXP50
- Up to 12 VoIP accounts
- Optimal HD audio, HAC handset
- Wall mountable
- IEEE 802.3af PoE support, without PSU

## SIP Phone

T54W



### Prime Business Phone

- 4.3" 480\*272 pixels TFT LCD with adjustable screen
- Built-in Bluetooth 4.2 and dual band 2.4G/5G Wi-Fi
- Dual-port Gigabit Ethernet
- USB 2.0 port for USB recording, wired/wireless USB headsets and EXP50
- Up to 16 VoIP accounts
- Optimal HD audio, HAC handset
- Wall mountable
- IEEE 802.3af PoE support, without PSU

T57W



### Prime Business Phone

- 7" 800\*480 pixels adjustable LCD with capacitive touch screen
- Built-in Bluetooth 4.2 and dual band 2.4G/5G Wi-Fi
- USB 2.0 port for USB recording, wired/wireless USB headsets and EXP50
- Up to 16 SIP accounts
- Dual-port gigabit Ethernet
- Optimal HD audio, HAC handset
- Paperless label design
- Wall mountable
- IEEE 802.3af PoE support, without PSU

T58W/Pro



### Smart Business Phone

- Android 9.0
- 7 inch (1024 x 600) capacitive adjustable touch screen
- Delivered with wired handset
- Supports Yealink Bluetooth Handset BTH58 (optional)
- 720p30 HD video (with CAM50, optional)
- Optimal HD audio, Yealink Noise Proof Technology
- Yealink's SDK (Software Development Kit)
- Door phone features (preview, one-button open, monitoring)
- Built-in Bluetooth 4.2 and dual band 2.4G/5G Wi-Fi
- 2 x USB 2.0 ports for USB headset, media and storage applications
- Opus Codec support
- Up to 16 VoIP accounts, Up to 10-party audio conferencing
- Dual-port Gigabit Ethernet, supports PoE, without PSU
- Support Zoom Device Management
- Wall mountable
- Supports up to 3 expansion module EXP50

## Expansion Module

EXP43



### Color-screen Expansion Module

- 4.3" 272 x 480-pixel color screen
- Color icons for rich visual experience
- 20 physical keys on each page with dual-color LEDs
- Three independent control keys with illuminated LED for fast switching pages
- Supports up to 3 modules daisy-chain
- Stand with 2 adjustable angles
- Without PSU

EXP50



### Color-screen Expansion Module

- 4.3" 272 x 480-pixel color screen
- Color icons for rich visual experience
- 20 physical keys on each page with dual-color LEDs
- Three independent control keys with illuminated LED for fast switching pages
- Supports up to 3 modules daisy-chain
- Stand with 2 adjustable angles

DECT Handset	W56H		<b>Premium Handset</b> <ul style="list-style-type: none"> <li>• IP Phone DECT Phone</li> <li>• 2.4" 240 x 320 TFT, 262K colour</li> <li>• 25 physical keys</li> <li>• 30h talk time</li> <li>• 400h standby time</li> <li>• With PSU</li> </ul>
	W73H		<b>Basic Handset</b> <ul style="list-style-type: none"> <li>• Up to 35 hours talk time</li> <li>• Up to 400 hours standby time</li> <li>• HD voice and noise cancellation</li> <li>• Headset connection via 3.5 mm jack</li> <li>• Sturdy and reliable belt clip to move discretionarily</li> <li>• With PSU</li> </ul>
	W78H		<b>Premium Handset</b> <ul style="list-style-type: none"> <li>• 2.4" 240 x 320 TFT color screen with intuitive user interface</li> <li>• Up to 21-hour talk time</li> <li>• Up to 166-hour standby time</li> <li>• Quick charge: 10-minute charge time for 2-hour talk</li> <li>• Headset connection via Bluetooth or 3.5 mm jack</li> </ul>
	W57R		<b>Ruggedized Handset</b> <ul style="list-style-type: none"> <li>• 1.8" 128 x 160 TFT color screen with intuitive user interface</li> <li>• Ruggedized DECT handset with IP54 protection rating</li> <li>• Up to 20 simultaneous calls</li> <li>• Up to 10 SIP accounts</li> </ul>
	W59R		<b>Ruggedized Handset</b> <ul style="list-style-type: none"> <li>• 1.8" 128x160 TFT color screen</li> <li>• Rugged DECT handset with IP67 protection rating</li> <li>• Scratch resistant, disinfectant resistant</li> <li>• HD voice and noise proof</li> <li>• Up to 30 hours of talk time (18 hours with Bluetooth headset)</li> <li>• Up to 360 hours of standby time (200 hours with Bluetooth headset)</li> <li>• With PSU</li> </ul>
DECT Base	W70B		<b>DECT IP Multi-Cell Solution</b> <ul style="list-style-type: none"> <li>• Up to 20 simultaneous calls</li> <li>• Up to 10 DECT cordless handsets or DECT headsets</li> <li>• Up to 10 SIP accounts</li> <li>• Noise Reduction</li> </ul>
	W80B / W80DM		<b>DECT IP Multi-Cell Solution</b> <ul style="list-style-type: none"> <li>• Seamless handover and roaming</li> <li>• Up to 8 WB (4 active handsets) calls per base</li> <li>• Up to 8 NB calls per base</li> <li>• 50m indoor/300m outdoor</li> <li>• Up to 30 base stations</li> <li>• Up to 100 handsets</li> <li>• Up to 100 SIP accounts</li> <li>• Up to 100 parallel calls</li> <li>• Without PSU</li> <li>• Support LDAP/Remote Phonebook/XML Phonebook/ XSI Directory</li> <li>• Compatible with Yealink W56H/W53H/CP930W/T41S+DD10K</li> </ul>
	W90B / W90DM		<b>DECT IP Multi-Cell Solution</b> <ul style="list-style-type: none"> <li>• Seamless handover and roaming</li> <li>• Up to 8 WB (4 active handsets) calls per base</li> <li>• Up to 8 NB calls per base</li> <li>• 50m indoor/300m outdoor</li> <li>• Up to 60 base stations</li> <li>• Up to 250 handsets</li> <li>• Up to 250 SIP accounts</li> <li>• Support LDAP/Remote Phonebook/XML Phonebook/XSI Directory</li> </ul>

## Conference Phone & USB Speaker

CP925



### Optima HD IP Conference Phone

- Wrapped with flannel
- New UI
- Linux
- 4-inch multi-touch screen with 480x800 resolution
- Optimal HD audio, full duplex technology
- One wireless BT expansion Mic CPW25-BT-Single (Optional)
- 20-foot (6-meter) and 360-degree voice pickup
- Built-in 7-microphone array, 360-degree voice pickup
- 5-way conference call
- Built-in Wi-Fi 2.4GHz/5GHz, 802.11a/b/g/n
- Built-in Bluetooth 4.2
- Local 3-way PSTN conference via Yealink CPN10
- With PSU

CP935



### Optima HD IP Conference Phone

- 4-inch multi-touch screen with 480x800 resolution
- Yealink Noise Proof Technology
- Built-in rechargeable lithium battery
- Up to 20 hours talk time
- 20-foot (6-meter) and 360° voice pickup
- Built-in 6-microphone array for voice pickup
- Built-in Wi-Fi (2.4GHz/5GHz, 802.11a/b/g/n); Built-in Bluetooth 4.2

CP965



### Optima HD IP Conference Phone

- Wrapped with flannel
- New UI
- Android 9.0
- 5-inch multi-touch screen with 720x1280 resolution
- Optimal HD audio, full duplex technology
- Up to 2 wireless DECT Mic CPW65-DECT-Duo (Optional)
- Up to 1 wireless Bluetooth Mic CPW25-BT-Single (Optional)
- Yealink Noise Proof Technology
- 20-foot (6-meter) and 360-degree voice pickup
- Built-in 12-microphone array, 360-degree voice pickup
- Power over Ethernet
- 10-way conference call
- Hybrid UC meeting
- Built-in Wi-Fi 2.4GHz/5GHz, 802.11a/b/g/n
- Built-in Bluetooth 4.2
- Local USB call recording
- Local 3-way PSTN conference via Yealink CPN10
- Without PSU

CP900



### Ultra-compact Flexible Speakerphone

- Optima HD voice
- Microphone pickup 2 meters
- Full-duplex technology
- Noise suppression (NS)
- Digital Signal Processing (DSP)
- Acoustic echo cancellation (AEC)
- Talk time: 12 hours
- Standby time: 450 days

# ORDERING YEALINK HEADSETS

## BLUETOOTH HEADSET









Bluetooth Headset	BH71		<b>For Road Warrior Like Driver</b> <ul style="list-style-type: none"> <li>• 4-Mic array beamforming noise cancellation</li> <li>• Adjustable ear hook for superior comfort</li> <li>• 10-hour talk time</li> </ul>
	BH71 Pro		<b>For Hybrid Work And Road Warrior</b> <ul style="list-style-type: none"> <li>• 4-Mic array beamforming noise cancellation</li> <li>• Adjustable ear hook for comfortable wearing</li> <li>• 20-hour extra battery life with charging case</li> </ul>
	BH71 Workstation		<b>For Office Worker</b> <ul style="list-style-type: none"> <li>• Connect to desk phone, PC, mobile phone</li> <li>• 3-inch Touch screen &amp; Speakerphone mode</li> <li>• Built-in 3 USB Hub &amp; Qi wireless charger</li> </ul>
	BH71 Workstation Pro		<b>For Premium Hybrid Work</b> <ul style="list-style-type: none"> <li>• Portable charging case for hybrid work</li> <li>• Connect to desk phone, PC, mobile phone</li> <li>• 3-inch Touch screen &amp; Speakerphone mode</li> <li>• Built-in 3 USB Hub &amp; Qi wireless charger</li> </ul>
	BH76		<b>Premium Bluetooth Wireless Headset</b> <ul style="list-style-type: none"> <li>• ANC</li> <li>• aptXHD</li> <li>• Up to 35h talking time</li> <li>• Multiple microphones Acoustic Shield Technology</li> <li>• Retractable hidden microphone arm</li> <li>• Qi wireless charging</li> </ul>
	BH72		<b>Classic Bluetooth Wireless Headset</b> <ul style="list-style-type: none"> <li>• Up to 35h talking time</li> <li>• Multiple microphones Acoustic Shield Technology</li> <li>• Retractable hidden microphone arm</li> <li>• Qi wireless charging</li> </ul>









## DECT WIRELESS HEADSET



DECT Wireless Headset	WH62 Portable		<b>Essential DECT Wireless Headset</b> <ul style="list-style-type: none"> <li>• Ultra-Portable</li> <li>• Acoustic Shield Technology</li> <li>• Up to 14h talking time</li> </ul>
	WH63 Portable		<b>Essential DECT Wireless Headset</b> <ul style="list-style-type: none"> <li>• Ultra-Portable</li> <li>• Acoustic Shield Technology</li> <li>• Optional wearing styles</li> </ul>
	WH62 Mono/Dual		<b>Essential DECT Wireless Headset</b> <ul style="list-style-type: none"> <li>• Dual devices connection</li> <li>• Acoustic Shield Technology</li> <li>• Up to 14h talking time</li> <li>• Up to 160m/525 feet DECT range</li> </ul>
	WH63		<b>Essential DECT Wireless Headset</b> <ul style="list-style-type: none"> <li>• Dual devices connection</li> <li>• Acoustic Shield Technology</li> <li>• 4 Optional wearing styles</li> </ul>
	WH66 Mono/Dual		<b>Premium DECT Wireless Headset</b> <ul style="list-style-type: none"> <li>• 4" Touch screen</li> <li>• Built-in USB hub</li> <li>• Qi wireless charger</li> <li>• Acoustic Shield Technology</li> <li>• Up to 160m/525 feet DECT range</li> <li>• Speakerphone mode</li> <li>• Up to 14h talking time</li> </ul>
	WH67		<b>Premium DECT Wireless Headset</b> <ul style="list-style-type: none"> <li>• 4" Touch screen</li> <li>• Built-in USB hub</li> <li>• Qi wireless charger</li> <li>• Acoustic Shield Technology</li> <li>• Speakerphone mode</li> <li>• 4 Optional wearing styles</li> </ul>

## WIRED HEADSET



Wired Headset	UH38		<b>Premium USB Headset</b> <ul style="list-style-type: none"> <li>• Dual noise-canceling microphones</li> <li>• dual devices connection</li> <li>• Built-in Bluetooth 5.1</li> <li>• Built-in battery</li> <li>• Visible busylight</li> </ul>
	UH37		<b>Professional USB Headset</b> <ul style="list-style-type: none"> <li>• Dual noise-canceling microphones</li> <li>• Visible busylight</li> <li>• Call and music mode</li> </ul>
	UH36		<b>USB Headset</b> <ul style="list-style-type: none"> <li>• Simple and flexible connectivity</li> <li>• Noise-canceling microphone</li> <li>• Comfortable to wear</li> </ul>
	UH34		<b>USB Headset</b> <ul style="list-style-type: none"> <li>• Simple and flexible connectivity</li> <li>• Comfortable to wear</li> <li>• Intuitive controller</li> </ul>
	YHS36		<b>QD to RJ Wired Headset</b> <ul style="list-style-type: none"> <li>• Perfectly compatible with Yealink Phones</li> <li>• Noise-canceling microphone</li> <li>• Comfortable to wear</li> </ul>
	YHS34		<b>QD to RJ Wired Headset</b> <ul style="list-style-type: none"> <li>• Perfectly compatible with Yealink Phones</li> <li>• Comfortable to wear</li> <li>• Cost effective</li> </ul>

© 2023 Yealink Network Technology Co., Ltd. All Rights Reserved



[LinkedIn](#)



[YouTube](#)



[Facebook](#)



[Web](#)



Contact Yealink: [Yealink-UC@yealink.com](mailto:Yealink-UC@yealink.com)