## logitech



## DATASHEET

# **LOGITECH SIGHT**

Help remote employees get the best perspective in every hybrid meeting with Logitech Sight. This Al-powered tabletop camera works hand in hand with Logitech Rally Bar or Rally Bar Mini to capture, identify, and present virtual attendees with the best sound and view of the meeting room action.

## TABLETOP CAMERA WITH INTELLIGENT MULTI-PARTICIPANT FRAMING

Sight helps remote meeting participants see and hear everyone clearly so they feel like they're actually seated at the table, and not just sideline observers.

Working together with Rally Bar or Rally Bar Mini at the front of the room, Sight sits on the table and uses audio and video to intelligently detect, frame, and present participants around the table.

By integrating with the leading video conferencing platforms like Microsoft Teams, Zoom, and Google Meet, Sight enhances the hybrid meeting experience by providing more dynamic and inclusive views of the meeting room action.

## TWO VIEWPOINTS. BETTER PERSPECTIVE.



## Works with Rally Bar and Rally Bar Mini

Sight works with the front of room camera to to detect conversations, capture audio and video, and present the best view of active speakers to remote participants.



#### See and hear clearly into larger rooms

With a pickup range of 2.3 m or 7.5 ft, Sight is designed for medium-to-large rooms, intelligently detecting and capturing conversation and nonverbals clearly, all around the table.



#### Track conversations naturally

Enabled through RightSight with Smart Switching\*, adaptive intelligence chooses the best front-facing angle from the camera on the table or at the front of the room, tracking participants as body positions change and conversations shift.

\*Smart Switching not available at launch. Support varies by video conferencing provider.

## **WORKS WITH LEADING VIDEO PLATFORMS**

Leverage the video conferencing platforms and features you already use. Sight integrates with leading video platforms like Microsoft Teams, Zoom, and Google Meet to make hybrid meetings more equitable and inclusive.







## **CRYSTAL CLEAR AUDIO AND VIDEO**

- **315° video capture:** Captures participants around the table with dual lenses that capture up to 4K resolution.
- Directional mic pickup: Detects active speakers using direction of arrival of voices. 7 beamforming mics replace the need for a mic pod.
- Mic mute controls: With the touch of a button, users can quickly and easily mute or unmute the microphones in the room.
- Indicator lights: The 3 colored LEDs clearly indicate video on/off, mute on/off, in-call status, power status, and more.
- Magnetic privacy shade: Slide the magnetic shade in front of the lenses to automatically turn off video capture.
- Included mounts for a secure install: Secure Sight and route cables across the table using the table mount. Use the grommet hole mount to hide cables down through the table. Place Sight in non-traditional rooms with U- or V-shaped tables by securing it to a tripod stand.



Table mount



Grommet mount



Tripod mount







#### PRODUCT DIMENSIONS

Total Height x Width x Depth

#### Table-mounted

11.8 x 6.7 x 6.7 in 299 x 169 x 169 mm

#### Grommet-mounted

11 46 x 3 7 x 3 7 in 291.2 x 93.4 x 93.4 mm

Weight: 1.5 kg/3.3 lb

#### PLATFORM COMPATIBILITY

#### Video Platform Compatibility

Logitech Sight will integrate with video conferencing platforms such as:

- Microsoft Teams Rooms
- Zoom Rooms
- Google Meet

Integration and feature compatibility will vary by platform.

#### PACKAGE CONTENTS

Sight camera Sight dongle Mic pod dongle Privacy shade Grommet mount Table mount Tripod mount Mounting nut User documentation

#### **GENERAL SPECIFICATIONS**

#### **Built-in Components:**

7 beamforming microphones, dual lens camera, Logitech CollabOS platform.

#### Camera:

Lens and Sensor Type: 2 x SONY IMX 415 + 3G5P lens with

Sensor Resolution: 4K

Zoom: X1

Diagonal Field of View: 180° Horizontal Field of View: 180° Vertical Field of View: 97°

Focal Length: 1.87 mm Depth of Field: 50 cm to 5 m Frame Rate (max): 60 FPS

#### **Microphone Specifications**

Beamforming elements: 7 omnidirectional digital MEMS microphones forming six adaptive acoustic endfire beams

Pickup range: 7.5 ft or 2.3 m radius

Microphone Type: digital MEMS microphones with 72 dB SNR and 130 dB AOP,

dirt and water resistant to IP57 spec

Frequency Response: 90 Hz-16 kHz Sensitivity: >-36 dBFS +/-1 dB @ 1 Pa

Audio Processing: AEC (Acoustic Echo Cancellation), Machine Learning VAD

(Voice Activity Detector)

Direction of Arrival: +/- 5 degrees, between -20->+48 deg elevation

Noise Suppression: Artificial Intelligence Machine Learning to attenuate both stationary and non-stationary noises

Additional mic pods:

• Rally Bar: Supports up to 3 Mic Pods and 2 Mic Pod Hubs

• Rally Bar Mini: Supports up to 2 Mic Pods and 2 Mic Pod Hubs

• Rally/Rally Plus: Supports up to total of 6 Mic Pods and/or Mic Pod Hubs

#### **Environmental**

Operating Temperature: 0 to 40°C @10 % - 90% RH (Non-condensing) Storage Temperature: -40 to 70°C @ 10 % - 90% RH (Non-condensing)

#### **DEVICE MANAGEMENT**

Logitech Sync Device Management

## WARRANTY

**Standard:** 2-year limited hardware warranty included. Extended: Additional one- and three-year extended warranties available at the time of hardware purchase. Contact your reseller for availability.

#### SYSTEM REQUIREMENTS

### Power type:

802.3at Type 2 "PoE+"power or equivalent power supply (user supplied)

CAT Cable: CAT6 or greater

Maximum CAT Cable Length: Between Sight Dongle and Sight: 20 m/65.6 ft USB Mode: Windows 10, Windows® 11 or later, macOS (two most recent versions),

Rally or Rally Plus

Appliance Mode: Room solution software license (not included), Rally Bar or Rally

Latest version of Logitech CollabOS

#### Ports and Interfaces

1 x RJ45 (audio/video data over USB)

Pods or second Sight camera)

1 x RJ45 (Power Over Ethernet) 1 x RJ45 (Daisychain - Rally Mic

## PART NUMBERS

960-001510 GRAPHITE 960-001503 WHITE



### **Logitech Americas**

7700 Gateway Blvd. Newark, CA 94560 USA

#### Logitech Europe S.A.

EPFL - Quartier de l'Innovation Daniel Borel Innovation Center CH - 1015 Lausanne

Logitech Asia Pacific Ltd. Fax: 852-2520-2230

© 2022 Logitech. Logitech, Sight, Rally Bar, and the Logitech logo are trademarks or registered trademarks of Logitech Europe S.A. and/or its affiliates in the U.S. and other countries.

Microsoft Teams, Zoom, Google Meet, Windows, MacOs and all other third party trademarks are properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.

Published October 2022